

## POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Canning and Other Processed Foods  
August 1963

LIBRARY

OCT 21 1963

October 2, 1963

### Inspected Poultry

The number of head and pounds live weight (chickens, turkeys, and ducks combined) inspected during August 1963 under the Poultry Inspection Act carried on by the U.S.D.A. were 199,451,000 head, 826,312,000 pounds as compared with 192,579,000 head, 780,200,000 pounds in August 1962. The number of head and pounds (live weight) inspected by classes were: young chickens, 176,244,000 head, 593,589,000 pounds; mature chickens, 11,197,000 head, 52,016,000 pounds; fryer-roaster turkeys, 1,384,000 head, 11,677,000 pounds; young turkeys, 9,112,000 head, 157,683,000 pounds; old turkeys, 185,000 head, 3,029,000 pounds; and ducks 1,329,000 head, 8,318,000 pounds.

### Certified Poultry

The quantity of poultry certified as wholesome in August 1963 totaled 610,195,000 pounds ready-to-cook weight of which 419,568,000 pounds were iced and 190,627,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 431,179,000 pounds; mature chickens, 35,081,000 pounds; fryer-roaster turkeys, 8,946,000 pounds; young turkeys, 126,245,000 pounds; old turkeys, 2,497,000 pounds; ducks, 5,939,000 pounds; and other poultry, 308,000 pounds.

### Canned and Processed Poultry

Poultry inspected and used for canning and other processed food in August 1963 totaled 50,009,000 pounds ready-to-cook weight, compared with 42,891,000 pounds in August 1962. The quantity used in August 1963 consisted of 9,505,000 pounds of young chickens, 19,835,000 pounds of mature chickens, 18,485,000 pounds of turkeys, and 2,184,000 pounds of other poultry.

### Cut-Up Poultry

Poultry cut-up and packaged in plants under Federal inspection in August 1963 was 73,084,000 pounds ready-to-cook weight, as compared with 67,561,000 pounds a year earlier. The quantity cut-up during August consisted of 67,839,000 pounds of young chickens, 667,000 pounds of mature chickens, 4,516,000 pounds of turkeys, and 62,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,360,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.33 percent; mature chickens, 0.35 percent; fryer-roaster turkeys, 0.11 percent; young turkeys, 0.11 percent; old turkeys, 0.05 percent; and ducks, 0.02 percent.

Post-mortem condemnations in August 1963 amounted to 14,199,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.01 percent; mature chickens, 2.89 percent; fryer-roaster turkeys, 1.85 percent; young turkeys, 1.24 percent; old turkeys, 1.80 percent; and ducks, 1.79 percent. In August 1962, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.72 percent; mature chickens, 2.83 percent; fryer-roaster turkeys, 1.54 percent; young turkeys, 1.34 percent; old turkeys, 1.69 percent; and ducks, 1.25 percent.

---

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service  
Pou 2-1(10-63)

Crop Reporting Board  
Washington, D. C.

Poultry: Slaughtered under Federal Inspection, August 1963 with comparisons

Class	Number inspected			Pounds inspected (live weight)			Average live weight						
	July 1963	August 1962	August 1963	July 1963	August 1962	August 1963	July 1963	August 1962	August 1963				
Young chickens	181,082	171,561	1,200,859	1,251,746	611,028	593,589	4,072,464	4,297,417	3.37	3.34	3.37	3.39	3.43
Mature chickens	8,515	9,927	65,673	70,594	41,730	47,088	321,855	340,650	4.90	4.74	4.65	4.90	4.83
Total chickens	189,597	181,488	1,266,532	1,322,340	652,758	620,153	4,394,319	4,638,067	3.44	3.42	3.44	3.47	3.51
Fryer-roasters	1,364	1,512	8,130	8,082	11,719	12,904	70,257	69,901	8.59	8.53	8.44	8.64	8.65
Young turkeys	4,758	8,184	17,828	18,870	76,989	136,768	308,864	324,901	16.18	16.71	17.30	17.32	17.22
Old turkeys	280	182	2,380	2,923	5,063	2,758	45,321	56,837	18.08	15.15	16.37	19.04	19.44
Total turkeys	6,402	9,878	28,338	29,875	93,771	152,430	424,442	451,639	14.65	15.43	16.14	14.98	15.12
Ducks	1,425	1,213	6,371	7,081	8,965	7,617	40,702	45,006	6.29	6.28	6.26	6.39	6.36
Other poultry	---	---	---	---	664	308	1,444	2,145	---	---	---	---	---
Total poultry	---	---	---	---	756,158	780,508	4,860,907	5,136,857	---	---	---	---	---

  

Class	Pounds certified (ready-to-cook weights)			January-August 1962			January-August 1963							
	July 1963	August 1962	August 1963	July 1963	August 1962	August 1963	July 1963	August 1962	August 1963					
Young chickens	395,926	444,225	371,300	44,387	415,687	384,022	47,157	431,179	2,622,067	321,448	2,943,515	2,778,703	331,486	3,110,189
Mature chickens	17,884	10,544	28,438	20,906	10,995	31,901	22,885	12,196	35,081	148,984	72,849	221,833	155,574	76,119
Total chickens	413,810	454,769	399,738	65,382	447,588	406,907	59,353	466,260	2,771,051	394,297	3,165,348	2,934,277	407,605	3,341,882
Fryer-roasters	1,629	7,314	8,943	2,643	7,314	9,957	1,314	7,632	8,946	13,373	41,305	54,678	10,847	43,131
Young turkeys	6,229	55,591	61,820	8,097	101,237	109,334	11,106	115,139	126,245	26,515	220,113	246,628	30,971	228,704
Old turkeys	381	3,641	4,022	88	2,106	2,194	164	2,333	2,497	3,256	32,608	35,864	4,927	40,175
Total turkeys	8,239	66,546	74,785	10,828	110,657	121,485	12,584	125,104	137,688	43,144	294,026	337,170	46,745	312,010
Ducks	65	6,332	6,397	59	5,299	5,358	75	5,864	5,939	955	27,773	28,728	976	30,932
Other poultry	3	422	425	3	180	183	2	306	308	13	777	790	16	1,253
Total poultry	422,117	132,153	554,270	403,096	171,518	574,614	419,568	190,627	610,195	2,815,163	716,873	3,532,036	2,982,014	751,800

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Percent 2/	
	August	1963	August	1963	August	1963	August	1963
Young chickens	1,000	1,000	0.27	0.33	1,000	1,000	1.72	2.01
Mature chickens	1,535	1,986	.40	.35	8,828	10,711	2.83	2.89
Total chickens	188	184	.28	.34	1,195	1,349	1.80	2.08
Fryer-roasters	17	13	.14	.11	179	194	1.54	1.85
Young turkeys	181	173	.13	.11	1,648	1,760	1.34	1.24
Old turkeys	1	1	.05	.05	42	49	1.69	1.80
Total turkeys	199	187	.13	.11	1,869	2,003	1.36	1.29
Ducks	1	2	.01	.02	86	134	1.25	1.79
Other poultry	1	1	.34	.27	1	2	.36	.45
Total	1,924	2,360	.25	.29	11,979	14,199	1.71	1.91

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, August 1963 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	August		Percent		August		Percent	
	July	1963	July	1963	July	1963	July	1963
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Further processed:	8,865	10,159	9,505	58,119	66,895	15	20	56
Cut up	63,815	63,575	67,839	422,974	486,561	---	---	---
Mature chickens	17,690	17,835	19,835	138,561	166,385	7	22	115
Further processed:	579	630	667	8,141	5,878	---	---	---
Turkeys	15,318	12,595	18,485	83,060	109,316	7	9	45
Further processed:	2,940	3,101	4,516	19,464	25,554	---	---	---
Other poultry 2/	2,373	2,302	2,184	25,173	25,462	18	5	28
Further processed:	102	255	62	1,635	740	---	---	---
Total	44,246	42,891	50,009	304,913	368,058	47	56	244
Further processed:	67,436	67,561	73,084	452,214	518,733	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.  
 2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry".

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, August 1962 and 1963

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified		Pounds (NYD)		Post-mortem condemnations	
	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963
N. Atl.	14,436	13,536	54,134	51,738	3.75	3.82	38,997	37,511	741	860	1.52	1.85
E. N. Cent.	3,674	3,639	12,590	12,669	3.43	3.48	9,135	9,235	116	186	1.03	1.64
W. N. Cent.	5,260	4,783	17,023	15,506	3.24	3.24	12,222	11,132	242	252	1.58	1.81
S. Atl.	71,528	73,417	240,850	249,289	3.37	3.40	176,368	182,717	3,564	4,232	1.65	1.89
S. S. Cent.	72,322	77,701	233,323	253,319	3.23	3.26	168,154	182,677	3,856	4,963	1.84	2.19
West	4,341	3,168	15,145	11,068	3.49	3.49	10,811	7,907	309	218	2.27	2.19
U. S.	171,561	176,244	573,065	593,589	3.34	3.37	415,687	431,179	8,828	10,711	1.72	2.01
Maine	5,737	5,766	21,707	22,242	3.78	3.86	16,046	16,475	342	379	1.75	1.89
Mass.	666	496	2,538	1,879	3.81	3.79	1,822	1,336	32	33	1.40	1.96
Conn.	955	771	3,251	2,686	3.40	3.48	2,255	1,895	42	50	1.47	2.07
N. J.	23	23	107	107	---	4.67	---	31	---	1	---	1.05
Pa.	6,467	6,162	24,323	23,665	3.76	3.84	17,475	17,141	299	385	1.37	1.81
Ohio	833	653	2,890	2,327	3.47	3.57	2,224	1,718	28	26	1.10	1.25
Ind.	1,384	1,340	4,425	4,379	3.20	3.27	3,205	3,194	45	46	1.13	1.17
Ill.-Mich.	259	475	1,871	1,871	3.75	3.94	690	1,308	10	58	1.15	3.52
Wis.	1,198	1,171	4,304	4,092	3.59	3.49	3,016	3,015	33	56	.87	1.53
Minn.	886	836	3,083	2,931	3.48	3.51	2,286	2,212	36	31	1.33	1.17
Iowa	99	84	419	359	4.25	4.27	303	262	2	4	.67	.97
Mo.	4,260	3,863	13,478	12,216	3.16	3.16	9,600	8,658	204	217	1.69	1.98
Del.	7,728	7,387	28,883	27,625	3.74	3.74	21,421	19,955	388	495	1.49	1.99
Ne.	9,361	10,471	34,177	38,890	3.65	3.71	24,845	28,128	449	666	1.46	1.91
Mi.	4,667	4,848	14,176	14,638	3.04	3.02	10,171	10,357	141	223	1.11	1.69
Va.	18,548	18,417	61,888	61,967	3.34	3.36	45,332	46,098	816	744	1.47	1.34
N. C.	1,906	2,101	6,323	6,854	3.32	3.26	4,528	5,016	185	154	3.27	2.50
S. C.	28,469	28,859	92,757	95,084	3.26	3.29	68,109	70,078	1,549	1,916	1.86	2.25
Ga.	2,406	2,015	7,988	6,848	3.32	3.40	5,701	4,910	73	85	1.02	1.38
Ky.	5,518	5,332	18,244	17,967	3.31	3.37	13,359	13,189	246	244	1.50	1.51
Tenn.	17,490	17,919	57,667	59,873	3.30	3.34	41,994	43,466	991	1,108	1.92	2.07
Ala.	11,992	14,158	38,231	45,718	3.19	3.23	28,087	33,564	585	909	1.71	2.22
Miss.	21,974	24,624	70,423	78,675	3.20	3.20	49,910	57,817	1,324	1,791	2.09	2.54
Ark.	3,178	3,630	10,136	11,895	3.19	3.27	7,391	8,639	163	246	1.79	2.31
La.-Okla.	9,764	10,023	30,634	32,353	3.14	3.23	21,712	23,092	474	580	1.73	2.00
Texas	438	443	1,468	1,457	3.35	3.29	1,087	1,043	9	16	.72	1.28
Idaho	36	---	121	---	---	---	90	---	1	---	.95	---
Utah	761	978	2,685	3,501	3.53	3.58	1,891	2,492	16	43	.66	1.38
Wash.	3,106	1,722	10,871	6,033	3.50	3.50	7,743	4,314	283	156	2.90	2.89
Calif.												

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, August 1963

Region and State	:Tuber- : culosis		: Leu- : cosis		: Septi- : cemia		: Aisrac- : culitis		: Inflam- : matory		: Tumors : sites		: Para- : bruises		: Cadaver : ination		: Contam- : nation		: Over- : scald		: Decom- : position		: Other : position		: Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		No.
N. Atl.	48,288	34,416	32,659	13,042	506	4	1,846	4,838	9,294	740	38	740	38	740	38	740	38	740	38	740	38	740	38	740	38	219,062
E. N. Cent.	2,315	8,658	21,247	7,013	179	23	1,170	3,817	4,057	666	1	666	1	666	1	666	1	666	1	666	1	666	1	9,935	59,081	
W. N. Cent.	2,782	8,895	36,401	13,152	371	11	1,114	3,793	4,979	359	6	359	6	359	6	359	6	359	6	359	6	359	6	13,034	84,897	
S. Atl.	139,904	57,387	332,787	98,070	2,994	26	11,638	43,859	99,267	5,255	2,420	5,255	2,420	5,255	2,420	5,255	2,420	5,255	2,420	5,255	2,420	5,255	2,420	475,251	1,268,858	
S. Cent.	98,855	110,670	96,509	96,509	4,693	56	15,832	56,193	91,461	6,893	740	6,893	740	6,893	740	6,893	740	6,893	740	6,893	740	6,893	740	307,029	1,419,863	
West	8,125	8,921	22,498	4,268	295	153	558	1,669	7,143	520	8	520	8	520	8	520	8	520	8	520	8	520	8	18,845	73,003	
U. S.	300,269	228,947	1,076,524	232,054	9,038	273	32,158	114,169	216,201	14,433	3,213	14,433	3,213	14,433	3,213	14,433	3,213	14,433	3,213	14,433	3,213	14,433	3,213	897,485	3,124,764	
Maine	25,747	17,015	10,572	3,805	138	---	844	1,582	3,529	120	24	3,529	120	3,529	120	3,529	120	3,529	120	3,529	120	3,529	120	28,549	91,925	
Mass.	991	1,850	431	467	34	---	222	201	381	167	3	381	167	381	167	381	167	381	167	381	167	381	167	2,656	7,403	
Conn.	3,135	2,700	394	246	17	1	66	81	1,613	---	---	1,613	---	1,613	---	1,613	---	1,613	---	1,613	---	1,613	---	4,757	13,010	
N. J.	94	2	---	2	1	---	---	---	2	---	---	2	---	2	---	2	---	2	---	2	---	2	---	159	260	
Pa.	18,259	12,781	20,706	8,373	306	3	668	2,870	3,521	451	11	3,521	451	3,521	451	3,521	451	3,521	451	3,521	451	3,521	451	35,288	103,237	
Ohio	428	1,158	1,818	802	32	---	135	659	738	16	1	738	16	738	16	738	16	738	16	738	16	738	16	1,651	7,438	
Ind.	1,144	3,055	2,134	4,492	22	3	377	711	1,265	345	---	1,265	345	1,265	345	1,265	345	1,265	345	1,265	345	1,265	345	1,938	15,486	
Ill.-Mich. 1/	223	3,069	5,072	755	11	---	134	1,621	1,407	274	---	1,407	274	1,407	274	1,407	274	1,407	274	1,407	274	1,407	274	4,363	16,929	
Wis.	520	1,376	12,223	964	114	20	524	826	647	31	---	647	31	647	31	647	31	647	31	647	31	647	31	1,983	19,228	
Minn.	393	3,166	1,488	818	186	---	99	375	785	41	---	785	41	785	41	785	41	785	41	785	41	785	41	140	7,491	
Iowa	4	575	10	38	4	---	66	3	24	1	---	24	1	24	1	24	1	24	1	24	1	24	1	---	7,725	
Mo.	2,385	5,154	34,903	12,296	181	11	949	3,415	4,169	317	6	4,169	317	4,169	317	4,169	317	4,169	317	4,169	317	4,169	317	12,894	76,680	
Del.	35,159	8,055	37,557	14,152	515	---	672	2,743	4,144	226	5	4,144	226	4,144	226	4,144	226	4,144	226	4,144	226	4,144	226	50,241	153,469	
Md.	27,341	7,117	46,875	19,369	859	---	2,040	9,128	4,625	716	19	4,625	716	4,625	716	4,625	716	4,625	716	4,625	716	4,625	716	75,923	194,012	
Va.	3,784	10,916	16,620	7,610	65	---	316	2,396	2,597	538	3	2,597	538	2,597	538	2,597	538	2,597	538	2,597	538	2,597	538	33,646	78,491	
N. C.	25,421	14,797	55,761	23,047	652	26	3,177	11,549	18,653	1,003	136	18,653	1,003	18,653	1,003	18,653	1,003	18,653	1,003	18,653	1,003	18,653	1,003	64,955	219,177	
S. C.	5,859	821	14,821	425	35	---	597	2,064	3,523	233	36	3,523	233	3,523	233	3,523	233	3,523	233	3,523	233	3,523	233	21,411	49,825	
Ca.	40,553	13,009	159,521	32,748	846	---	4,722	15,565	65,415	2,475	2,221	65,415	2,475	65,415	2,475	65,415	2,475	65,415	2,475	65,415	2,475	65,415	2,475	226,763	563,838	
Ky.	1,242	5,133	10,191	612	49	---	638	717	1,100	5	---	1,100	5	1,100	5	1,100	5	1,100	5	1,100	5	1,100	5	5,952	25,639	
Tenn.	5,829	3,428	11,214	5,414	120	---	711	3,515	8,155	629	116	8,155	629	8,155	629	8,155	629	8,155	629	8,155	629	8,155	629	31,024	70,155	
Ala.	20,916	10,210	135,964	12,391	529	1	1,826	7,372	22,335	428	93	22,335	428	22,335	428	22,335	428	22,335	428	22,335	428	22,335	428	86,144	298,209	
Miss.	29,998	12,393	92,541	30,392	606	45	2,589	9,165	26,282	519	386	26,282	519	26,282	519	26,282	519	26,282	519	26,282	519	26,282	519	65,782	270,698	
Ark.	22,201	25,195	288,183	26,616	1,525	2	4,306	22,247	19,895	3,657	139	19,895	3,657	19,895	3,657	19,895	3,657	19,895	3,657	19,895	3,657	19,895	3,657	102,295	516,261	
La.-Okla. 1/	4,217	22,398	28,905	6,019	462	5	1,392	2,705	3,730	1,024	---	3,730	1,024	3,730	1,024	3,730	1,024	3,730	1,024	3,730	1,024	3,730	1,024	100	70,957	
Texas	14,452	31,913	63,934	15,065	1,402	3	4,370	10,472	9,964	631	6	9,964	631	9,964	631	9,964	631	9,964	631	9,964	631	9,964	631	15,732	167,944	
Idaho	75	1,527	2,289	508	22	153	122	228	433	162	1	433	162	433	162	433	162	433	162	433	162	433	162	1,137	6,657	
Wash.	335	5,145	1,856	1,475	47	---	92	683	1,239	113	7	1,239	113	1,239	113	1,239	113	1,239	113	1,239	113	1,239	113	1,826	12,818	
Calif.	7,303	1,780	18,317	2,243	222	---	304	752	5,451	245	---	5,451	245	5,451	245	5,451	245	5,451	245	5,451	245	5,451	245	15,882	52,499	

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, August 1962 and 1963

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
		1962	1963	1962	1963	1962	1963	1962	1963
	Thou.	Thou.	Thou.	Pounds	Pounds	Pounds	Pounds	Pounds	Percent
N. Atl.	1,600	1,818	8,085	8,907	4.90	5,498	6,034	138	1.90
E. N. Cent.	1,889	1,996	8,213	8,569	4.35	5,668	5,862	213	2.89
W. N. Cent.	3,220	3,543	14,221	15,370	4.42	9,408	10,021	399	3.13
S. Atl.	1,380	1,564	7,602	8,215	5.25	5,344	5,716	161	2.36
S. Cent.	842	1,208	4,689	4,365	5.57	2,224	4,379	148	3.40
West	996	1,068	4,278	4,590	4.30	2,759	3,069	136	3.55
U. S.	9,927	11,197	47,088	52,016	4.74	31,901	35,081	1,195	2.83
Maine	209	225	1,362	1,395	6.53	987	1,026	26	2.07
N. Y. 3/	152	---	685	---	4.52	482	---	10	1.50
N. J.	672	837	2,676	3,401	3.98	1,661	2,123	72	2.34
Pa.	269	251	1,501	1,340	5.58	1,047	915	57	1.71
Ohio	516	555	2,264	2,358	4.39	1,548	1,621	60	2.97
Ind.	569	683	2,529	2,941	4.45	1,731	2,005	66	2.90
Ill.	641	463	2,703	2,028	4.38	1,809	1,408	64	2.66
Mich.	35	63	147	263	4.14	99	169	5	3.19
Wis.	128	232	570	979	4.44	423	659	18	3.43
Minn.	1,375	1,607	5,801	6,692	4.22	3,819	4,248	183	3.53
Iowa	453	464	1,974	1,882	4.36	1,337	1,265	47	2.64
Mo.	642	771	3,252	3,903	5.07	2,216	2,618	66	2.28
Nebr. 3/	667	---	2,788	---	4.18	1,775	---	90	3.63
Del.	40	21	303	160	7.50	223	116	5	1.96
Ma.	---	512	---	2,092	---	---	1,419	---	---
Va.	173	200	1,032	1,159	5.97	725	828	17	1.83
N. C.	339	470	2,010	2,567	5.92	1,407	1,785	43	2.34
S. C.	17	20	99	146	5.90	71	104	3	3.25
Ga.	391	330	2,441	2,021	6.24	1,723	1,413	58	2.62
Ky. 3/	---	30	---	121	---	---	79	---	---
Tenn.	210	419	1,125	1,956	5.35	767	1,320	38	3.80
Ala.	111	144	688	841	6.19	506	607	15	2.39
Miss.	45	73	319	430	7.02	228	287	6	1.87
Ark.	68	132	494	880	7.22	331	614	20	4.53
La.-Okla. 4/	94	162	533	923	5.67	370	649	22	3.04
Texas	254	248	1,211	1,214	4.77	803	823	40	4.61
Idaho 3/	10	---	46	---	4.82	31	---	2	3.90
Utah	51	33	184	125	3.57	130	86	2	1.14
Wash.	110	72	553	323	5.03	449	207	12	.93
Calif.	822	905	3,478	3,891	4.23	2,263	2,606	120	2.42
								109	3.51
									3.82

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, August 1963

Region and State	Tuberc- : Leu- : Septi- : Aircac- : Inflam- : Tumors : Para- : Bruises : Cadaver : Contam- : Over- : Decom- :		culicosis : cosis : cemia : culicitis : matory :		: sites :		: ination: scald:position: Other :		: Total :					
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.				
N. Atl.	66	2,989	4,492	9	6,039	4,026	2	490	976	1,901	184	69	19,943	41,186
E. N. Cent.	4,641	7,391	12,981	70	7,232	8,135	116	1,468	1,227	1,930	154	55	8,760	54,160
W. N. Cent.	28,697	7,554	21,503	302	15,883	17,542	418	2,062	2,328	5,220	563	126	28,548	130,746
S. Atl.	18	1,406	6,877	458	6,149	2,514	3	627	1,196	2,794	220	13	14,287	36,562
S. Cent.	16	4,041	7,940	488	9,587	1,796	659	484	894	3,533	161	10	15,392	45,001
West	20	2,110	7,612	1,089	3,195	4,800	46	754	559	1,665	195	99	12,669	34,813
U. S.	33,458	25,491	61,405	2,416	48,085	38,813	1,244	5,885	7,180	17,043	1,477	372	99,599	342,468
Maine	6	282	1,671	---	840	215	---	38	51	213	1	---	911	4,228
N. J.	46	1,934	369	---	2,334	2,342	---	151	446	698	35	21	14,786	23,162
Pa.	14	312	1,085	8	1,071	564	1	126	129	625	54	3	1,640	5,632
Ohio	906	3,470	4,311	1	2,472	2,245	64	204	420	552	16	28	822	15,511
Ind.	1,129	2,514	4,402	24	1,895	2,955	8	198	278	588	124	27	2,325	16,467
Ill.	1,510	223	3,416	28	1,861	2,225	37	977	316	603	11	---	2,604	13,811
Mich.	100	246	350	5	80	67	1	12	56	24	---	---	101	1,042
Wis.	996	938	502	12	924	643	6	77	157	163	3	---	2,908	7,329
Minn.	12,998	1,940	6,090	49	8,503	10,506	191	1,150	1,367	3,171	473	109	19,611	66,158
Iowa	3,179	868	4,696	2	1,352	613	32	229	371	415	31	---	1,416	13,204
Mo.	1,263	1,108	4,396	219	2,325	2,292	193	366	505	1,015	35	---	6,165	19,882
Del.	67	125	125	---	98	26	---	8	5	19	---	---	117	465
Mi.	18	754	3,253	266	1,585	354	---	220	320	223	105	---	147	7,245
Va.	---	70	746	19	1,552	791	---	30	182	252	3	---	1,548	5,193
N. C.	---	371	1,956	99	2,087	572	---	177	338	1,236	101	---	4,783	11,723
S. C.	---	37	39	3	64	3	---	4	10	55	---	3	250	468
Ga.	---	96	751	71	721	755	---	184	340	1,002	11	10	7,203	11,144
Ky.	---	67	137	3	28	164	---	5	16	57	15	---	417	909
Tenn.	1	444	4,408	31	2,492	189	---	184	303	876	95	6	3,279	112,313
Ala.	---	62	163	266	21	140	---	50	144	302	3	---	4,768	5,919
Miss.	---	41	223	12	122	27	---	18	41	302	30	4	1,039	1,859
Ark.	---	124	382	91	925	291	---	43	52	406	1	---	1,936	4,251
La.-Okla.	15	594	1,690	6	2,673	767	505	53	216	599	10	---	---	7,128
Texas	---	2,709	937	79	3,326	218	154	131	117	991	7	---	3,953	12,622
Utah	20	55	221	---	5	42	11	5	14	4	---	---	---	377
Wash.	---	172	897	39	173	386	2	15	66	175	103	---	898	2,926
Calif.	---	1,751	5,421	1,020	2,842	4,325	33	635	422	1,359	92	99	11,170	29,769

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, August 1962 and 1963

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations					
		inspected	(live weight)	1962	1963	1962	1963	1962	1963				
		Thou.	Thou.	Pounds	Pounds	Pounds	Pounds	Pounds	Percent				
N. Atl.	106	97	1,743	1,495	16.44	15.41	1,405	1,184	7	16	0.45	1.19	
E. N. Cent.	1,015	1,124	16,415	19,072	16.17	16.97	13,227	15,232	101	122	.68	.71	
W. N. Cent.	3,310	3,680	54,337	62,025	16.42	16.85	43,663	50,202	552	641	1.13	1.15	
S. Atl.	458	549	7,078	8,946	15.45	16.30	5,546	6,929	108	111	1.70	1.38	
S. Cent.	626	941	10,094	16,064	16.12	17.07	8,040	12,714	118	202	1.30	1.40	
West	2,669	2,721	47,101	50,081	17.65	18.41	37,453	39,984	762	668	1.80	1.48	
U. S.	8,184	9,112	136,768	157,683	16.71	17.30	109,334	126,245	1,648	1,760	1.34	1.24	
Pa.	81	83	1,310	1,282	16.13	15.50	1,073	1,018	6	15	.53	1.25	
Ohio	147	179	2,434	3,442	16.61	19.18	1,959	2,643	9	11	.40	.37	
Ind.	285	365	4,872	6,014	17.09	16.45	3,992	4,915	37	43	.84	.79	
ILL. - Mich. 3/	239	196	3,995	3,471	16.72	17.71	3,208	2,784	23	15	.64	.48	
Wis.	344	384	5,114	6,145	14.86	15.98	4,068	4,890	32	53	.70	.96	
Minn.	1,756	1,898	28,007	32,545	15.95	17.14	22,539	26,409	285	361	1.13	1.23	
Iowa	845	886	15,176	15,177	17.96	17.13	12,233	12,326	140	123	1.02	.90	
Mo.	196	386	2,967	6,277	15.14	16.26	2,353	4,960	45	81	1.69	1.44	
N. Dak. - S. Dak. 3/	157	129	2,428	2,131	15.46	16.52	1,960	1,741	10	12	.46	.63	
Nebr.	266	232	4,423	3,826	16.65	16.49	3,539	3,116	43	34	1.08	.99	
Va.	171	169	2,520	2,876	14.73	17.02	1,869	2,140	64	45	2.82	1.74	
N. C.	201	278	3,356	4,662	16.73	16.74	2,701	3,683	39	57	1.29	1.36	
S. C. 4/	15	---	312	---	20.73	---	254	---	1	---	.49	---	
Ga.	47	43	649	651	13.88	15.06	530	539	3	6	.52	1.01	
Ky. 4/	161	---	---	2,875	---	17.81	---	2,307	---	---	14	---	.57
Ark.	194	222	2,892	3,899	14.92	17.55	2,317	3,089	27	68	1.06	1.95	
Texas	272	370	4,575	6,339	16.83	17.11	3,660	5,021	58	85	1.40	1.50	
Colo.	217	238	3,772	4,647	17.42	19.55	3,074	3,852	20	40	.59	.97	
Utah	429	497	7,614	9,323	17.75	18.75	6,156	7,517	74	85	1.08	1.01	
Calif.	1,811	1,679	31,792	30,968	17.55	18.44	25,061	24,537	634	482	2.22	1.73	

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.



Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, August 1963

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	2	400	116	452	2	---	14	15	50	---	---	30	1,081
E. N. Cent.	3	42	2,548	1,476	516	20	---	75	398	188	70	3	1,231	6,570
W. N. Cent.	33	81	9,765	16,736	2,887	96	7	375	1,103	1,282	240	13	6,414	39,032
S. Atl.	---	25	1,182	1,787	1,930	5	---	87	198	249	16	---	1,498	6,977
S. Cent.	---	43	4,464	3,335	1,357	20	3	75	254	428	65	---	1,429	11,473
West	---	73	9,896	9,423	4,518	51	21	674	638	1,467	278	43	9,322	36,404
U. S.	36	266	28,255	32,873	11,660	194	31	1,300	2,606	3,664	669	59	19,924	101,537
Pa.	---	2	301	115	425	1	---	12	15	39	---	---	24	934
Ohio	---	1	217	102	86	6	---	4	41	19	9	---	15	500
Ind.	---	25	1,258	329	102	1	---	15	45	33	9	---	381	2,198
Ill.-Mich. ]	---	---	333	78	27	3	---	7	110	34	14	---	---	606
Wis.	3	16	740	967	301	10	---	49	202	102	38	3	835	3,266
Minn.	33	8	5,318	10,453	946	78	6	207	525	608	166	4	4,099	22,451
Iowa	---	57	2,417	2,808	368	1	---	65	219	273	31	1	943	7,183
Mo.	---	1	910	1,913	1,141	2	---	52	215	139	7	---	328	4,708
N.Dak.-S.Dak. ]	---	3	289	227	39	---	1	8	78	19	15	5	1	685
Nebr.	---	2	586	602	198	11	---	35	38	148	20	3	362	2,005
Va.	---	1	247	455	469	1	---	16	98	54	4	---	1,205	2,550
N. C.	---	2	568	1,296	1,386	1	---	59	92	172	9	---	269	3,854
Ga.	---	1	233	32	52	3	---	8	1	18	---	---	11	359
Ky.	---	2	356	270	55	---	---	16	83	65	5	---	11	863
Ark.	---	2	325	1,271	278	3	2	22	52	132	32	---	1,047	3,166
Texas	---	37	2,442	1,088	842	15	---	29	94	165	13	---	371	5,096
Colo.	---	---	1,126	478	575	---	---	16	49	146	27	2	---	2,419
Utah	---	21	2,475	1,027	920	3	---	113	136	165	64	---	4	4,928
Calif.	---	48	4,173	7,181	2,363	43	12	493	256	1,038	181	41	9,305	25,134

] Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, August 1962 and 1963

Region and State	Number inspected		Pounds inspected		Average live weight inspected		Total pounds certified		Post-mortem condemnations		
	(live weight)		(live weight)		1/		(Ready-to-cook wt.)		Percent 2/		
	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963	
	Thou.	Thou.	pounds	pounds	pounds	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl.	39	23	320	187	8.13	8.21	1,000	1,000	1,000	0.82	1.10
E. N. Cent.	435	245	3,828	2,212	8.80	9.03	236	139	2	.73	.95
W. N. Cent.	463	385	4,007	3,267	8.65	8.49	3,030	1,744	25	1.58	1.40
S. Atl.	421	503	3,504	4,183	8.33	8.32	3,139	2,570	57	2.44	2.66
S. Cent.	65	64	529	487	8.14	7.61	2,602	3,107	76	1.89	3.20
West.	89	164	716	1,341	8.04	8.18	408	370	9	1.55	1.49
U. S.	1,512	1,384	12,904	11,677	8.53	8.44	9,957	8,946	179	1.54	1.85
Ohio	59	50	484	448	8.27	9.02	375	351	3	.61	.60
Wis.	375	195	3,336	1,763	8.89	9.05	2,649	1,392	22	.73	.98
Minn.	373	237	3,278	2,032	8.80	8.58	2,562	1,604	51	1.72	1.56
Iowa	70	85	568	719	8.16	8.43	456	568	5	.90	.81
Va.	421	483	3,504	4,026	8.33	8.33	2,602	2,983	76	2.44	2.75
Calif.	69	163	557	1,331	8.16	8.16	416	1,009	10	1.92	1.48

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, August 1963

Region and State	Tuberculosis		Leucosis		Septicemia		Airsacculitis		Inflammation		Tumors		Parasites		Bruises		Cadaverous taint		Contamination		Over-scald		Decomposition		Other		Total
	culculis		cosis		cemia		culculis		matory		sites		sites		sites		sites		sites		sites		sites		sites		
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	---	70	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	---	524	247	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. Cent.	50	11	1,224	1,497	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. Atl.	---	---	368	6,730	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. Cent.	---	---	38	516	---	5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
West.	---	---	321	319	---	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
U. S.	50	31	2,545	9,311	14	14	133	561	1,280	114	2	7,049	22,091	19	235	693	1,679	3,311	4,458	11,845	1,830	1,897	791	1,894	1,894		
Ohio	---	---	66	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Wis.	---	---	458	244	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Minn.	50	2	914	1,115	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Iowa	---	---	123	56	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Va.	---	---	301	6,729	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Calif.	---	---	320	319	---	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, August 1962 and 1963

Region and State	Number inspected		Pounds inspected (Live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post mortem condemnations		
	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963	
N. Atl. 3/	2	3	24	40	13.92	31	1,000	1,000	---	---	0.63
E. N. Cent.	42	22	646	374	15.38	296	15	510	10	5	1.72
W. N. Cent.	96	61	1,507	1,016	16.66	891	1,208	24	18	7	1.77
S. Atl.	25	35	314	485	13.86	379	250	4	7	1	1.42
S. Cent.	8	5	88	92	11.00	74	69	1	1	1	1.26
West.	9	59	179	1,022	19.89	826	142	3	18	18	1.87
U. S.	182	185	2,758	3,029	15.15	2,497	2,194	42	49	49	1.69
Ohio 4/	9	---	100	---	10.84	---	80	1	---	---	.85
Wis. 4/	33	---	546	---	16.70	---	430	9	---	---	1.83
Minn. 4/	71	53	1,187	909	16.74	803	952	20	17	---	1.93
Iowa 4/	12	---	171	---	14.24	---	140	2	---	---	1.22
Va.	24	29	296	360	12.55	284	236	4	5	5	1.46
Texas 3/ 4/	---	---	6	---	---	---	5	---	---	---	---
Calif. 4/	8	---	162	---	19.59	---	129	3	---	---	1.95

Old turkeys (breeders) 1/ Number condemned post-mortem by cause, by regions and selected States, August 1963

Region and State	Tuberculosis		Septicemia		Influenza		Tumors		Parasites		Bruises		Carcass		Contamination		Over-conditioning		Decomposition		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	---	5	1	---	---	---	---	1	---	---	---	3	---	---	---	---	---	---	---	---	---	10
E. N. Cent.	---	---	3	54	28	4	---	---	---	5	4	---	---	4	---	---	---	---	---	---	---	---	---	123
W. N. Cent.	---	---	1	248	164	2	1	---	---	3	23	42	---	4	---	---	---	---	---	---	---	---	---	79
S. Atl.	---	---	1	35	136	1	---	---	---	---	1	---	---	16	1	---	---	---	---	---	---	---	---	234
S. Cent.	---	---	4	37	21	---	---	---	---	---	---	---	---	2	---	---	---	---	---	---	---	---	---	2
West.	---	---	2	62	123	2	---	---	---	6	18	---	---	19	---	---	---	---	---	---	---	---	---	443
U. S.	---	---	11	436	473	9	1	15	46	86	7	---	---	---	---	---	---	---	---	---	---	---	---	881
Minn.	---	---	1	235	145	2	1	2	18	41	4	---	---	---	---	---	---	---	---	---	---	---	---	58
Va.	---	---	1	23	111	1	---	---	---	10	1	---	---	---	---	---	---	---	---	---	---	---	---	226

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS

Albert R. Mann Library  
8-24-61 Acquisitions Div.  
ML-PS Ithaca, N. Y.

Definitions -

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

\*\*\*\*\*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.